

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	233	present\$3 near10 server\$1 near10 local\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:41
L2	32	L1 and 709/217-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:41
L3	38	((transmit\$4) near10 cach\$3 near10 (copy or copies or document\$1) near10 (server\$1 or source\$1)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:41
L4	107	transfer\$3 near10 (file\$1 or data or attachment\$2) near10 (server\$1 or repositor\$4) and 709/206-207.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:41
L5	7	transmit\$4 near10 request\$1 near10 "both" near10 proxy near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:41
L6	42	(transfer\$6 near10 information near10 (email\$4 or (e adj1 mail\$4))) near10 using	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01
L7	1210	retriev\$4 near10 (information or data or file\$1) near10 (email\$4 or ((e or electronic) adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01
L8	22	email near10 (digital adj1 signature\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01
L9	67	709/204-206.ccls. and 709/217-219.ccls. and 707/1-10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:05
L10	3	bypass\$4 near10 (proxy or proxies) near10 content\$1 near5 server\$1 near10 request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01

L11	89	(DASD or backup) near10 (email\$1 or (e adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01
L12	118	(storage near3 server\$1) same email\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01
L13	64	(transfer\$6 near10 data near10 (email\$4 or (e adj1 mail\$4))) near10 using	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01
L14	1006	(email\$4 or ((e or electronic) mail\$4)) near10 (digital adj1 signature\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:01
L15	78	709/204-206.ccls. and 709/217-219.ccls. and 709/227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:05
L16	130	709/204-206.ccls. and 709/217-219.ccls. and 709/223-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:05
L17	10	file\$1 near5 transfer\$5 near10 (e adj1 mail\$4) near10 storage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:05
S1	15	(storage near3 server\$1) near10 email\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 10:05
S2	53	(storage near3 server\$1) same email\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 10:07
S3	36	(storage near3 server\$1) same email\$4 same (data or file\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 10:07
S4	92	(stor\$4 near4 server\$1) near10 send\$4 near10 (email\$4 or mail\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 10:19
S5	15	(remote\$4 near4 stor\$4) near10 transmit\$5 near10 (email\$4 or mail\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 10:23

S6	42	(DASD or backup) near10 (email\$1 or (e adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 10:25
S7	40	attach\$6 near10 (email\$4 or (e adj1 mail\$4)) near10 storage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:05
S8	1044	file\$1 near5 transfer\$5 near10 (email\$4 or mail\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:07
S9	0	file\$1 near5 transfer\$5 near10 (email\$4) near10 storage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:07
S10	73	file\$1 near5 transfer\$5 near10 (email\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:19
S11	6	(file\$1 near5 transfer\$5 near10 (email\$4)).ab.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:08
S12	340	file\$1 near5 transfer\$5 near10 (e adj1 mail\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:38
S13	3	file\$1 near5 transfer\$5 near10 (e adj1 mail\$4) near10 storage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:39
S14	2451	remote\$3 near5 data near5 storage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:40
S15	0	(remote\$3 near5 data near5 storage) near10 (email\$4 or (e adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 11:41
S16	352	transfer\$6 near10 data near10 (email\$4 or (e adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 13:38
S17	31	(transfer\$6 near10 data near10 (email\$4 or (e adj1 mail\$4))) near10 using	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 13:39

S18	201	transfer\$6 near10 information near10 (email\$4 or (e adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 13:38
S19	21	(transfer\$6 near10 information near10 (email\$4 or (e adj1 mail\$4))) near10 using	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 13:39
S20	13	distributed near10 stor\$4 near10 (email\$4 or (e adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 14:23
S21	0	97/18675.pct.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 14:16
S22	0	WO97/18675.ptpn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 14:16
S23	673	retriev\$4 near10 (information or data or file\$1) near10 (email\$4 or ((e or electronic) adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 14:21
S24	587	retriev\$4 near10 (information or data) near10 (email\$4 or ((e or electronic) adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 14:23
S25	78	(retriev\$4 near10 (information or data) near10 (email\$4 or ((e or electronic) adj1 mail\$4))) near10 using	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/04 14:23
S26	1	subject near5 field\$1 same (email\$3 or (e adj1 mail\$3)) near10 director\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:06
S27	1	subject near10 (email\$3 or (e adj1 mail\$3)) near10 director\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:06
S28	311	subject near10 (email\$3 or (e adj1 mail\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:17
S29	8	subject near10 (email\$3 or (e adj1 mail\$3)) near10 target\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:13

S30	8	subject near10 (email\$3 or ((e or electronic) adj1 mail\$3)) near10 target\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:17
S31	17	subject near10 (email\$3 or ((e or electronic) adj1 mail\$3)) near10 analyz\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:18
S32	618	(email\$4 or ((e or electronic) mail\$4)) near10 (digital adj1 signature\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:49
S33	7	email near10 (digital adj1 signature\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:46
S34	66	(email\$4 or ((e or electronic) adj1 mail\$4)) near10 (digital adj1 signature\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 14:57
S35	230	(copy or copies) near10 approv\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/06 15:02
S36	23	temporar\$4 near10 (copy or copies or copied) near10 (authoriz\$5 or allow\$4 or approv\$4) near10 stor\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/07 07:19
S37	188	stor\$4 near10 (file\$1 or data) near10 server\$1 near10 (email\$3 or e adj1 mail\$3)	USPAT	OR	OFF	2003/06/02 09:58
S38	93	stor\$4 near10 (file\$1 or data) near10 server\$1 near10 (email\$3 or e adj1 mail\$3) and "709"/\$. ccls.	USPAT	OR	OFF	2003/06/02 10:13
S39	235	storage near5 (device\$1 or server\$1) near10 (email\$3 or e adj1 mail\$3) near10 (data or file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:17
S40	6	API near10 (email\$3 or (e adj1 mail\$3)) near10 director\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:19
S41	8	API near10 (email\$3 or (e adj1 mail\$3)) same director\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:20

S42	8	virtual\$4 near10 director\$3 same API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:24
S43	267	virtual\$4 near10 director\$3 and (email\$3 or (e adj1 mail\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:25
S44	118	virtual\$4 near10 director\$3 and (email\$3 or (e adj1 mail\$3)) and API\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:31
S45	2	virtual\$4 near10 director\$3 same API\$2 and (email\$3 or (e adj1 mail\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:34
S46	118	API\$2 near10 (email\$3 or (e adj1 mail\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:35
S47	55	API\$2 near10 (email\$3 or (e adj1 mail\$3)) and @ad<"20000207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:42
S48	1842	transfer\$5 near10 (file\$1 or data) near10 (email\$3 or e adj1 mail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:44
S49	524	transfer\$5 near10 (file\$1 or data) near10 (email\$3 or e adj1 mail\$3) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:45
S50	11	transfer\$5 near10 (file\$1 or data) near10 (email\$3 or e adj1 mail\$3) near10 director\$3 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:47
S51	3	transfer\$5 near10 (file\$1 or data) near10 (email\$3 or e adj1 mail\$3) near10 api\$2 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:49

S52	88	transfer\$5 near10 (file\$1 or data) near10 (email\$3 or e adj1 mail\$3) near10 server\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 10:52
S53	3	transfer\$5 near10 (file\$1 or data) near10 (email\$3 or e adj1 mail\$3) near10 storage near5 server\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:00
S54	257	stor\$3 near10 file\$1 near10 server\$1 near10 (email\$3 or e adj1 mail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:02
S55	1404	SMB or webDAV	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:03
S56	0	(SMB or webDAV) same API near10 virtual\$3 and 709/@.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:05
S57	0	(SMB or webDAV) same API and 709/@.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:05
S58	0	(SMB or webDAV) and 709/@.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:05
S59	107	(SMB or webDAV) and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:14
S60	0	(SMB or webDAV) same API near10 virtual\$3 and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:05
S61	5	(SMB or webDAV) same API and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:08

S62	41	(SMB or webDAV) and API and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:09
S63	0	display\$3 near10 director\$4 near10 (WebDAV or SMB) and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:10
S64	0	display\$3 near10 director\$4 same (WebDAV or SMB) and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:13
S65	2	display\$3 near10 director\$4 and (WebDAV or SMB) and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 11:13
S66	6	(webDAV) and "709"/\$.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 14:09
S67	4	attachment\$2 near10 stor\$3 same director\$3 and 709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 14:12
S68	30	attachment\$2 same director\$3 and 709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 14:20
S69	177	transfer\$3 near10 (file\$1 or data or attachment\$2) near10 (server\$1 or repositor\$4) and 709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 14:24
S70	2	transfer\$3 near10 (file\$1 or data or attachment\$2) near10 (repositor\$4) and 709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 14:23
S71	86	transfer\$3 near10 (file\$1 or data or attachment\$2) near10 (server\$1 or repositor\$4) and 709/206-207.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 14:26

S72	1	transfer\$3 near10 (file\$1 or data or attachment\$2) near10 (server\$1 or repositor\$4) near10 director\$4 and 709/206-207.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/02 14:27
S73	2	present\$3 near10 director\$3 near10 local\$3 near10 client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 08:25
S74	3	present\$3 near10 director\$3 near10 local\$3 and API\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 08:55
S75	4	(map or mapping) near10 domain\$1 near10 multicast\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 09:38
S76	330	(map or mapping) near10 domain\$1 near10 address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 09:34
S77	12	effort near5 proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 09:39
S78	1	best adj1 effort near5 proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 12:01
S79	0	send\$3 near10 request\$1 near10 "both" near10 proxy near10 source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 12:02
S80	17	send\$3 near10 request\$1 near10 proxy near10 source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 12:08
S81	384	send\$3 near10 request\$1 near10 proxy near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 12:09

S82	5	send\$3 near10 request\$1 near10 "both" near10 proxy near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 12:52
S83	7	transmit\$4 near10 request\$1 near10 "both" near10 proxy near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 12:57
S84	257	transmit\$4 near10 request\$1 near10 proxy near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 12:58
S85	15	transmit\$4 near10 request\$1 near10 proxy near10 source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:10
S86	0	response\$1 near10 arriv\$3 near10 before near10 proxy near10 source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:18
S87	0	response\$1 near10 arriv\$3 near10 proxy near10 source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:20
S88	0	document\$1 near10 arriv\$3 near10 proxy near10 source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:21
S89	0	(use or using) near10 cach\$3 near10 (copy or copies or document\$1) near10 arriv\$4 near10 (server\$1 or source\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:25
S90	0	(transmit\$4) near10 cach\$3 near10 (copy or copies or document\$1) near10 arriv\$4 near10 (server\$1 or source\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:27
S91	60	(transmit\$4) near10 cach\$3 near10 (copy or copies or document\$1) near10 (server\$1 or source\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:29

S92	21	((transmit\$4) near10 cach\$3 near10 (copy or copies or document\$1) near10 (server\$1 or source\$1)) and "709"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:15
S93	49	(transmit\$4 or send\$3) near10 request\$3 near10 (data or document\$1 or object\$1 or page\$1) near10 (proxy or prox\$3) near10 (source\$1 or content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:36
S94	23	((transmit\$4 or send\$3) near10 request\$3 near10 (data or document\$1 or object\$1 or page\$1) near10 (proxy or prox\$3) near10 (source\$1 or content)) and "709"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:42
S95	250	client\$1 near10 (transmit\$4 or send\$3) near10 request\$3 near10 (proxy or prox\$3) near10 (source\$1 or content\$1 or server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 13:45
S96	46	client\$1 near10 (transmit\$4 or send\$3) near10 request\$3 near10 (proxy or prox\$3) near10 (source\$1 or content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:01
S97	0	relay\$4 near10 response\$1 near10 source\$1 near10 arriv\$2 near10 "before"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:02
S98	3	response\$1 near10 source\$1 near10 arriv\$2 near10 "before"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:04
S99	4	response\$1 near10 server\$1 near10 arriv\$2 near10 "before"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:05
S10 0	2	transmit\$4 near10 server\$1 near10 arriv\$2 near10 "before"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:07
S10 1	12	transmit\$4 near10 request\$3 near10 server\$1 near10 mirror\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:09

S10 2	10	broadcast\$3 near10 request\$3 near10 (server\$1 or proxy or proxies) near10 arriv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:14
S10 3	795	broadcast\$3 near10 request\$3 near10 (server\$1 or proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:16
S10 4	265	(broadcast\$3 near10 request\$3 near10 (server\$1 or proxy or proxies)) and "709"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:15
S10 5	33	broadcast\$3 near10 request\$3 near10 (server\$1) same (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:28
S10 6	0	relay\$4 near10 response\$1 near10 server\$1 near10 arriv\$4 near10 before	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:30
S10 7	4	response\$1 near10 server\$1 near10 arriv\$4 near10 before	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:33
S10 8	0	response\$1 near10 proxy\$1 near10 arriv\$4 near10 before	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:35
S10 9	16	response\$1 near10 proxy\$1 near10 arriv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:43
S11 0	0	send\$3 near10 multiple near10 request\$3 near10 (proxy or proxies) near10 (source\$1 or content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:46
S11 1	74	send\$3 near10 request\$3 near10 (proxy or proxies) near10 (source\$1 or content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:50

S11 2	0	bypass\$4 near10 (proxy or proxies) near10 content\$1 near5 server\$1 near10 request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 14:51
S11 3	7	bypass\$4 near10 (proxy or proxies) near10 request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 15:02
S11 4	4	response\$1 near10 arriv\$3 near10 (before or prior) near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/03 15:03
S11 5	2012	interfac\$4 near10 access\$4 near10 server\$1 and @ad<"20000209"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 13:25
S11 6	674	interfac\$4 near10 access\$4 near10 server\$1 and @ad<"20000209" and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 13:25
S11 7	14	interfac\$4 near10 access\$4 near10 server\$1 near10 multiple and @ad<"20000209" and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 13:27
S11 8	2523	access\$3 near5 interfac\$3 and @ad<"20000209" and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 13:27
S11 9	56	multiple adj5 access\$3 near5 interfac\$3 and @ad<"20000209" and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 13:27
S12 0	12	"5659746"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 14:12
S12 1	18	avellino.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 14:12
S12 2	1	temporary near10 (copy or copies) near10 approv\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:35

S12 3	13243	access\$4 near10 server\$1 near10 API @ad<"20000209" and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:35
S12 4	11	(stor\$4 near4 server\$1) near10 send\$4 near10 email\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:35
S12 5	94	(stor\$4 near5 file\$1) near10 email\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:35
S12 6	53	access\$4 near10 server\$1 near10 API and mail\$4 and @ad<"20000209" and "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:36
S12 7	3	access\$4 near10 server\$1 near10 API same mail\$4 and @ad<"20000209" and "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:36
S12 8	87	access\$4 near10 server\$1 near10 API and @ad<"20000209" and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:36
S12 9	11	multiple adj5 access\$3 adj5 interfac\$3 and @ad<"20000209" and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:36
S13 0	31	(copy or copies) near10 approv\$4 near10 stor\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:36
S13 1	25	present\$3 near10 director\$3 near10 local\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:52
S13 2	4	"6185701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/11 10:52
S13 3	1	"6044398".PN.	USPAT	OR	OFF	2004/02/11 10:54
S19 4	46	distributed near10 stor\$4 near10 (email\$4 or (e adj1 mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:11

S19 5	12	(file\$1 near5 transfer\$5 near10 (email\$4)).ab.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:12
S19 6	67	709/204-206.ccls. and 709/217-219.ccls. and 707/1-10. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:13
S19 7	0	S196 and S194	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:14
S19 8	166	automatic\$4 near10 backup\$4 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:14
S19 9	1	S198 and S196	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:14
S20 0	119	access\$4 near3 interfac\$4 near10 email\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:15
S20 1	110	attach\$6 near10 (email\$4 or (e adj1 mail\$4)) near10 storage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:15
S20 2	64	(transfer\$6 near10 data near10 (email\$4 or (e adj1 mail\$4))) near10 using	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:15
S20 3	107	transfer\$3 near10 (file\$1 or data or attachment\$2) near10 (server\$1 or repositor\$4) and 709/206-207.ccls. and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:15
S20 4	769	send\$3 near10 request\$1 near10 proxy near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:15

S20 5	7	transmit\$4 near10 request\$1 near10 "both" near10 proxy near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:15
S20 6	36	present\$3 near10 director\$3 near10 local\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:16
S20 7	2	S204 and S196	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:16
S20 8	231	present\$3 near10 server\$1 near10 local\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:16
S20 9	0	S208 and S196	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:16
S21 0	32	S208 and 709/217-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/10 10:17



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((access* <near/10> interfac* <near/10> mail* <paragraph backup <paragraph> se..."

Your search matched 0 of 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved

indexed by
 Inspec



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((access* <near/10> interfac* <near/10> mail* <paragraph> server*)<in>metada..."

Your search matched 14 of 1157693 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- | | |
|--------------------------|--|
| <input type="checkbox"/> | <p>1. Comet explodes on Jupiter-and the Web
 Computer Graphics and Applications, IEEE
 Volume 14, Issue 6, Nov. 1994 Page(s):12 - 13
 AbstractPlus Full Text: PDF(240 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>2. Applying NetSolve's network-enabled server
 Casanova, H.; Dongarra, J.;
 Computational Science and Engineering, IEEE [see also Computing in Science & Engineering]
 Volume 5, Issue 3, July-Sept. 1998 Page(s):57 - 67
 AbstractPlus References Full Text: PDF(1604 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>3. Transaction management for m-commerce at a mobile terminal
 Veijalainen, J.; Terziyan, V.; Tirri, H.;
 System Sciences, 2003. Proceedings of the 36th Annual Hawaii International Conference on
 6-9 Jan. 2003 Page(s):10 pp.
 AbstractPlus Full Text: PDF(438 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>4. Design and implementation of a content-based image retrieval tool
 Iannizzotto, G.; Puliafito, A.; Vita, L.;
 Software Engineering for Parallel and Distributed Systems, 1997. Proceedings., Second International Workshop on
 17-18 May 1997 Page(s):304 - 310
 AbstractPlus Full Text: PDF(608 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>5. Universal data access with OLE DB
 Blakeley, J.A.;
 Compcon '97. Proceedings, IEEE
 23-26 Feb. 1997 Page(s):2 - 7
 AbstractPlus Full Text: PDF(604 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>6. A catalog-browse system with quick-look images for SPOT, ERS and RADARSAT data archives
 Leong Keong Kwoh;
 Geoscience and Remote Sensing, 1997. IGARSS '97. 'Remote Sensing - A Scientific Vision for Sustainable Development', 1997 IEEE International
 Volume 3, 3-8 Aug. 1997 Page(s):1257 - 1259 vol.3
 AbstractPlus Full Text: PDF(516 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>7. Design issues in building Web-based parallel programming environments
 Dincer, K.; Fox, G.C.;
 High Performance Distributed Computing, 1997. Proceedings. The Sixth IEEE International Symposium on</p> |

5-8 Aug. 1997 Page(s):283 - 292

[AbstractPlus](#) | Full Text: [PDF](#)(1108 KB) IEEE CNF

- ☐ 8. **"Thin" vs. "fat" visualization client**
Jern, M.;
Computer Graphics International, 1998. Proceedings
22-26 June 1998 Page(s):772 - 788
[AbstractPlus](#) | Full Text: [PDF](#)(2604 KB) IEEE CNF
- ☐ 9. **WorkWare: WWW-based chronological document organizer**
Tsuda, I.; Uchino, K.; Matsui, I.;
Computer Human Interaction, 1998. Proceedings. 3rd Asia Pacific
15-17 July 1998 Page(s):380 - 385
[AbstractPlus](#) | Full Text: [PDF](#)(176 KB) IEEE CNF
- ☐ 10. **Content-based video sequence editing: a client-server Java system for user-assisted segmentation**
Colonnese, S.; Russo, G.;
Electronics, Circuits and Systems, 1999. Proceedings of ICECS '99. The 6th IEEE International Conference on
Volume 3, 5-8 Sept. 1999 Page(s):1741 - 1744 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(580 KB) IEEE CNF
- ☐ 11. **Speech-enabled information retrieval in the automobile environment**
Muthusamy, Y.; Agarwal, R.; Yifan Gong; Viswanathan, V.;
Acoustics, Speech, and Signal Processing, 1999. ICASSP '99. Proceedings., 1999 IEEE International Conference on
Volume 4, 15-19 March 1999 Page(s):2259 - 2262 vol.4
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF
- ☐ 12. **Virtual personal computers and the portable network**
Duran, J.W.; Laubach, A.;
Performance, Computing and Communications Conference, 1999. IPCCC '99. IEEE International
10-12 Feb. 1999 Page(s):52 - 56
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE CNF
- ☐ 13. **A new Java-based software environment for distributed measurement systems designing**
Michal, K.; Wieslaw, W.;
Instrumentation and Measurement Technology Conference, 2001. IMTC 2001. Proceedings of the 18th IEEE
Volume 1, 21-23 May 2001 Page(s):397 - 402 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(868 KB) IEEE CNF
- ☐ 14. **A policy based QoS management system for the IntServ/DiffServ based Internet**
Ponnappan, A.; Lingjia Yang; Pillai, R.; Braun, P.;
Policies for Distributed Systems and Networks, 2002. Proceedings. Third International Workshop on
5-7 June 2002 Page(s):159 - 168
[AbstractPlus](#) | Full Text: [PDF](#)(494 KB) IEEE CNF

[View Selected Items](#)[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved

Indexed by
 Inspec